







# Silencers




## 0674 Polymer Silencer, Male BSPP and Metric Thread

	<p>Technical polymer</p> 	<b>C</b>		<b>E</b>	<b>G</b>	<b>H</b>	<b>kg</b>
		M5x0.8	<a href="#">0674 00 19</a>	4	6.5	23	0.003
		G1/8	<a href="#">0674 00 10</a>	6	12.5	34	0.002
		G1/4	<a href="#">0674 00 13</a>	7	15.5	42.5	0.003
		G3/8	<a href="#">0674 00 17</a>	11.5	18.5	67.5	0.007
		G1/2	<a href="#">0674 00 21</a>	11	23.5	78	0.010
		G3/4	<a href="#">0674 00 27</a>	15.5	38.5	131	0.035
		G1	<a href="#">0674 00 34</a>	19.5	49	160	0.056




## 0676 Flow Control Polymer Silencer, Male BSPP and Metric Thread

	<p>Technical polymer</p> 	<b>C</b>		<b>F</b>	<b>F1</b>	<b>G</b>	<b>H</b>	<b>H1</b>	<b>kg</b>
		M5x0.8	<a href="#">0676 00 19</a>	8	1.5	9.2	16	11	0.008
		G1/8	<a href="#">0676 00 10</a>	13	2.5	15	20.5	14.5	0.003
		G1/4	<a href="#">0676 00 13</a>	15	4	18	29	22	0.007
		G3/8	<a href="#">0676 00 17</a>	20	6	24	38	30	0.018
		G1/2	<a href="#">0676 00 21</a>	25	8	30	50	40	0.045




## 0670 Threaded Silencer, Male BSPP Thread

	<p>Sintered bronze, brass</p> 	<b>C</b>		<b>G</b>	<b>J</b>	<b>L</b>	<b>L1</b>	<b>kg</b>
		G1/8	<a href="#">0670 00 10</a>	12	7	22	17	0.007
		G1/4	<a href="#">0670 00 13</a>	15	9	27	21	0.015
		G3/8	<a href="#">0670 00 17</a>	19	11	35	28	0.028
		G1/2	<a href="#">0670 00 21</a>	23	13	43	34	0.049
		G3/4	<a href="#">0670 00 27</a>	30	17	55	45	0.091
		G1	<a href="#">0670 00 34</a>	37	21	65	53	0.152

## 0673 Compact Silencer, Male BSPP and Metric Thread

	<p>Sintered bronze, brass</p> 	<b>C</b>		<b>E</b>	<b>F</b>	<b>H</b>	<b>kg</b>
		M5x0.8	<a href="#">0673 00 19</a>	4	7	8	0.001
		G1/8	<a href="#">0673 00 10</a>	8	14	14	0.008
		G1/4	<a href="#">0673 00 13</a>	8	17	14	0.012
		G3/8	<a href="#">0673 00 17</a>	10	22	18	0.020
		G1/2	<a href="#">0673 00 21</a>	12	27	21	0.042

## 0675 Threaded Silencer, Male BSPP and Metric Thread

	<p>Sintered bronze, brass</p> 	<b>C</b>		<b>F</b>	<b>L</b>	<b>L1</b>	<b>kg</b>
		M5x0.8	<a href="#">0675 00 19</a>	7	16	12	0.002
		M7x1	<a href="#">0675 00 55</a>	11	25	19	0.005
		G1/8	<a href="#">0675 00 10</a>	14	42	34	0.014
		G1/4	<a href="#">0675 00 13</a>	17	52	44	0.022
		G3/8	<a href="#">0675 00 17</a>	22	54	44	0.037
		G1/2	<a href="#">0675 00 21</a>	27	65	53	0.072